

Sensor-Based Monitoring of Soil Moisture and Nutrients in Fruit Crops

Vidhu Dixit¹, Abhinav Bajpai² & Arun Arya^{3*}

¹Teaching Associate, Chandra Shekhar Azad University of Agriculture & Technology, Kanpur, Uttar Pradesh

²Research Scholar, Chandra Shekhar Azad University of Agriculture & Technology, Kanpur, Uttar Pradesh

³M.Sc. Scholar, Chandra Shekhar Azad University of Agriculture & Technology, Kanpur, Uttar Pradesh, India

SUMMARY

Sensor-based monitoring technologies are transforming modern fruit production by enabling precise management of soil moisture and nutrients. Soil moisture sensors, nutrient sensors, and IoT-based systems provide real-time information that helps farmers improve irrigation scheduling and fertilizer application. These technologies increase water-use efficiency, reduce nutrient losses, enhance fruit yield and quality, and support sustainable orchard management. Their integration with smart farming tools and artificial intelligence is promoting climate-smart and precision horticulture in fruit crops such as citrus, mango, grape, and pomegranate.

INTRODUCTION

Fruit crops are among the most valuable horticultural commodities worldwide and contribute significantly to nutritional security, employment generation, and agricultural income. According to the Food and Agriculture Organization, global fruit production exceeds 920 million tonnes annually, with citrus, banana, mango, apple, and grape being major contributors. India is the second-largest producer of fruits in the world, producing more than 112 million tonnes of fruits from approximately 7 million hectares of cultivated area. Major fruit-producing states include Uttar Pradesh, Maharashtra, Andhra Pradesh, Gujarat, and Karnataka. Efficient soil moisture and nutrient management are critical for achieving higher productivity and better fruit quality in orchards. Studies indicate that agriculture consumes nearly 70% of global freshwater resources, and a large portion of irrigation water is lost due to inefficient management practices. In fruit orchards, improper irrigation and excessive fertilizer application often result in nutrient leaching, soil degradation, reduced water-use efficiency, and environmental pollution. Research has shown that over-irrigation can reduce oxygen availability in the root zone, while water stress during flowering and fruit development stages may significantly decrease fruit size, yield, and quality. Traditional soil monitoring methods involve manual sampling and laboratory analysis, which are labor-intensive, time-consuming, and unable to provide real-time information. Recent advances in precision agriculture, Internet of Things (IoT), wireless sensor networks, and smart sensing technologies have introduced innovative approaches for continuous soil monitoring. Soil moisture sensors, nutrient sensors, electrical conductivity probes, and cloud-based monitoring systems enable farmers to monitor orchard conditions in real time and make accurate irrigation and fertilization decisions. Sensor-based technologies are now being increasingly adopted in modern fruit orchards such as citrus, mango, grape, pomegranate, pear, and apple. Studies have reported that smart irrigation systems using soil moisture sensors can reduce irrigation water use by 30–50% while maintaining or even increasing fruit yield. Similarly, precision nutrient management using sensors improves fertilizer-use efficiency and minimizes environmental losses.




Concept of Sensor-Based Monitoring

Sensor-based monitoring refers to the use of electronic devices to measure soil and environmental parameters continuously and automatically. The collected data are transmitted through wireless networks or cloud platforms for analysis and decision-making.

Important parameters monitored in fruit orchards include:

- Soil moisture
- Soil temperature
- Electrical conductivity (EC)
- Soil pH
- Nitrogen (N), phosphorus (P), and potassium (K)
- Relative humidity
- Leaf wetness

Modern systems commonly use Arduino, ESP32, LoRaWAN, and cloud platforms for real-time orchard monitoring.




Soil Moisture Sensors in Fruit Crops

Soil moisture is one of the most critical factors affecting fruit growth and quality. Different sensors are used for monitoring soil water status:

Types of Soil Moisture Sensors

- Capacitance Sensors
- Time Domain Reflectometry (TDR) Sensors
- Frequency Domain Reflectometry (FDR) Sensors
- Tensiometers
- Neutron Probe



These sensors help maintain optimum moisture levels in orchards and improve irrigation scheduling.

Applications in Fruit Crops

- Smart irrigation in pear orchards
- Moisture management in pomelo cultivation
- Water stress monitoring in vineyards and citrus orchards

A wireless sensor network developed for pear orchards reduced irrigation water use by up to 50% while maintaining productivity.

Nutrient Monitoring Sensors

Nutrient monitoring is essential for balanced fertilization and sustainable orchard productivity. Modern nutrient sensors estimate soil nutrient levels through ion-selective electrodes, EC measurements, and optical sensing systems.

Important Nutrients Monitored

- Nitrogen (N)
- Phosphorus (P)
- Potassium (K)
- Soil pH
- Electrical conductivity

Advantages

- Site-specific nutrient management
- Reduction in fertilizer losses
- Improved fruit quality
- Prevention of nutrient deficiency

Recent studies have shown that intelligent nutrient diagnosis systems can improve precision fertilization in orchards.

IoT and Wireless Sensor Networks in Orchard Management

The integration of IoT with agricultural sensors has transformed traditional farming into smart farming.

Components of IoT-Based Orchard Systems

- Soil sensors
- Microcontrollers
- Wireless communication modules
- Cloud databases
- Mobile applications

Working Principle

Sensors collect data from the orchard and transmit them to cloud servers using WiFi, GSM, or LoRaWAN networks. Farmers can access real-time information through smartphones and make immediate irrigation or fertilization decisions.

Benefits of Sensor-Based Monitoring in Fruit Crops

Parameter	Benefits
Soil Moisture Monitoring	Efficient irrigation scheduling
Nutrient Monitoring	Balanced fertilizer application
IoT Integration	Real-time data access
Smart Irrigation	Water conservation
Precision Farming	Increased fruit yield and quality
Environmental Monitoring	Reduced nutrient leaching

Major Advantages

- Water-use efficiency
- Reduced production cost
- Improved fruit quality
- Sustainable soil management
- Climate-resilient horticulture

Challenges and Limitations

Despite their advantages, sensor technologies face several challenges:

- High initial installation cost
- Calibration difficulties
- Sensor maintenance issues
- Limited nutrient sensing accuracy

Discussions among IoT users also indicate that reliable low-cost nutrient sensors are still under development.

Future Prospects

Future orchard monitoring systems may integrate:

- Artificial Intelligence (AI)
- Machine Learning
- UAVs and drones
- Remote sensing
- Cloud analytics
- Digital soil mapping

Advanced sensor networks combined with AI can predict irrigation and nutrient requirements more accurately, improving sustainability in fruit production systems.

CONCLUSION

Sensor-based monitoring technologies are transforming fruit crop management by enabling precise irrigation and nutrient application. Soil moisture sensors, nutrient probes, IoT platforms, and wireless sensor networks provide real-time information for efficient orchard management. These systems improve water-use efficiency, reduce fertilizer wastage, enhance fruit quality, and support sustainable agriculture. Although challenges such as high costs and sensor calibration remain, ongoing advancements in AI, remote sensing, and smart agriculture are expected to make these technologies more accessible and reliable in the future. Sensor-based orchard management represents an important step toward climate-smart and precision horticulture.

REFERENCES

- Gonzalez Preto, F. A., Avendaño Fernández, E., & Salcedo Parra, O. J. (2024). *Intelligent Mobile App Design of IoT System Based on Wireless Sensor Networks for Monitoring Fruit Crops*. *Revista EIA*, 21(41), 1–29.
- Hamouda, F., Puig Sirera, À., Bonzi, L., et al. (2024). *Design and validation of a soil moisture-based wireless sensors network for the smart irrigation of a pear orchard*. *Agricultural Water Management*, 305, 109138.
- Pascoal, D., Silva, N., Adão, T., et al. (2024). *A technical survey on practical applications and guidelines for IoT sensors in precision agriculture and viticulture*. *Scientific Reports*, 14, 29793.
- Thongkhao, K., et al. (2024). *Development of an IoT-Based Smart Watering System for Monitoring and Increasing Soil Moisture Content in Pomelo Garden*. *International Journal on Smart Sensing and Intelligent Systems*, 17(1).
- Velázquez-Chávez, L. D. J., et al. (2024). *Plant-based and remote sensing for water status monitoring of orchard crops: Systematic review and meta-analysis*. *Agricultural Water Management*, 303, 109051.
- Yuan, Q., Qi, Y., Huang, K., et al. (2024). *Research Progress in Intelligent Diagnosis Key Technology for Orchard Nutrients*. *Applied Sciences*, 14(11), 4744.