

Healthy Seeds: The Foundation of Successful Crop Production

Bharat Chandra Nath*, Abhilisa Mudoi, Mrinal Saikia, Dibosh Bordoloi and Sharmila Dutta Deka
AICRP on Seed (Crops), Assam Agricultural University, Jorhat-785013, Assam, India

SUMMARY

Seed quality and seed health are very important for successful crop production. It ensures consistent establishment, good germination and higher output. Quality seeds are those which have genetic purity, physical cleanliness, good physiological potential, desired moisture content and absence of harmful seed-borne pathogens. These characters improve tolerance to environmental stresses, good growth of seedlings and rapid germination. Fungi and bacteria, seed-borne pathogens, can lead to lower germination rates, cause diseases and spread to new areas. The quality of the seed depends on such factors as growing conditions, time of harvest, processing, drying and storage methods. Before sowing the seed must be tested accurately for germination, physical purity, moisture content and general seed health. Disease can be prevented and early growth encouraged by chemical or biological seed treatments. Ultimately, quality seed is critical for sustainable agriculture, farm profitability and long-term food security. Quality seed reduces establishment failures and minimizes risks of production and enables efficient use of resources through proper seed selection, testing, treatment and storage.

INTRODUCTION

The success of any agricultural crop depends to a very great extent on the quality of the seeds used for planting. Although a seed is tiny, but it carries the genetic and the physiological potential for a healthy plant and future crop yield. Farmers often forget the necessity of using quality seeds and tend to pay more attention to soil preconditioning, fertilisers, irrigation and pest management. Healthy and high-quality seed is the first step of good crop establishment. Use of poor-quality seeds may lead to weak germination, uneven crop stands, poor plant growth and reduced yield, even if other farming practices are properly implemented. However, good seed quality results in rapid and uniform germination, vigorous seedling and greater resistance to environmental stress and crop performance. So, keeping seed quality and seed health is one of the most important steps for higher agricultural productivity. Use of quality seed has become increasingly important in the face of extreme challenges such as climate change, soil degradation and the spread of seed borne diseases. The knowledge of the correlation between seed quality and seed health and crop establishment will help the farmer to make better decisions and enhance production efficiency.

Understanding Seed Quality

Seed quality is a measure of the overall potential of a seed to establish a healthy and productive plant under favourable growing conditions. It is not one characteristic but several important factors that influence the performance of seeds. Quality seeds should have good germination capacity, good physical condition, genetic purity and free from seed borne pathogens and other harmful organisms. Quality seeds establish quickly after sowing and provide a uniform stand of the crop. In general, seed quality is generally assessed through five major fundamental components: genetic purity, physical purity, physiological quality, moisture content and seed health.

Genetic Purity: Ensuring True-to-Type Crops

Genetic purity means the varietal identity and its ability to retain the desirable characteristics for which it was developed. Genetically pure seed results in producing plants with uniform growth, maturity period, plant height, grain quality and yield potential. Farmers get a misshapen crop when they use mixed or poor-quality seed. Some plants may mature early, and some may mature late. This makes harvesting difficult. In such variability, the expected yield and quality of the produce may not be realised. To maintain genetic purity, proper seed production practices, isolation of fields and careful handling during harvesting, processing and storage are required.

Physical Purity: The External Condition of Seeds

Physical quality is the visible characteristics of seeds such as cleanliness, size, shape, colour, freedom from undesirable material etc. Quality seeds should be free from weed seeds, inert material, broken seeds and damaged grains. Germination ability is better in shrivelled or damaged seeds than in generally well-filled and clean seeds. Impurities can reduce seed performance and can also introduce weeds or disease-causing organisms into the field.

Physiological Quality: The Power of Seed Performance

Physiological quality refers to the internal quality of seeds to germinate and produce vigorous plants. Important physiological characters are germination percentage, seed vigour. A seed with high germination capacity can generate a healthy seedling under good conditions. Germination alone is not always a reliable predictor of seed performance. Two seed lots may have similar germination percentage but vary greatly in their ability to survive under field stress. Seed vigour is a measure of seed strength and ability to establish quickly in varied environmental conditions. Hard seeds germinate earlier and compete with weeds for the best plants. This is especially important in the case of crops where stress conditions including drought, low temperature or poor soil conditions prevail.

Seed Moisture: The Secret to Longevity and Seed Storage

Seed moisture is the water content of the seed, usually expressed as a percentage of the seed's weight. It is an important indicator of seed quality since it directly influences seed viability, germination, vigour, storage life and susceptibility to deterioration. Seeds stored with the proper moisture content can be held for a longer period without loss of quality. Excessively high moisture may promote fungal and bacterial growth, insect activity, heating and rapid deterioration, but excessively low moisture may cause mechanical damage in some seeds in handling and processing. Thus, the maintenance of the recommended moisture level is important for seed quality from the time of harvesting to sowing. The optimum moisture content depends on the crop, the seed type, the packaging and the storage conditions. Most orthodox seeds have a much longer life span if they are dried to a safe moisture level before storage and good germination and vigour can be maintained.

Seed Health: Protection from Hidden Threats

Seed health is defined as the presence or absence of seed-associated organisms that may cause harm. Seeds may harbour several pathogens such as fungi, bacteria, viruses, and nematodes. These organisms may be latent during storage but become active after sowing, infecting developing plants. Seed borne diseases are dangerous as they affect the crops from the early stages of growth. Infection of seed can lead to reduced germination, poor seedling establishment and increased spread of disease in the field. Typical seed-borne diseases are smut, bunt, seedling blight and seed rot of fungal origin; bacterial blight of bacterial origin; and viruses carried in infected planting material. Infected seed not only lowers crop production but can also transmit disease to new fields and areas. Hence, the use of disease-free seeds is crucial for the health of crops and disease outbreaks.

Relation Between Seed Quality and Crop Establishment

Crop establishment is the successful development of a crop after sowing, and includes seed germination, seedling emergence, plant population and early plant growth. The quality of the seed is at the heart of each of these stages. When quality seeds are sown, they germinate well and produce strong seedlings. Uniform emergence leads to a healthy crop stand with sufficient sunlight, nutrients and space available for growth. Poor quality seed will generally cause uneven or late germination, in contrast. Some of the seed won't germinate and will leave bare patches in the field. Further, Healthy seedling has better root system, absorbs nutrients more efficiently and is more tolerant to environmental stresses.

Role of Seed Health in Early Crop Growth

The initial phases of crop development are very susceptible to disease attacks. If the seeds are contaminated with pathogens, infection may start immediately after germination. The defence system of young seedlings is weak, and they are more prone to diseases. Healthy seeds reduce the risk of early disease infection and help to provide a good crop stand. Disease free seeds also mean less need for chemical treatment during the crop growth, reducing production costs and saving the environment. Seed health can be improved through seed treatments such as fungicide treatment, biological treatment, and seed enhancement technologies. Biological seed treatments using beneficial microorganisms are becoming more popular as they protect the seed and support sustainable agriculture.

Factors Affecting Seed Quality and Health

Several factors influence seed quality operating throughout the stages of production of seed followed by processing, storage and testing. The quality of the seed is influenced by the condition of the field in which seed is produced, the climate during growth and development, the time of harvest, processing procedures, and finally the storage conditions. Overall, seeds from healthy plants are better quality. Delayed harvesting, moisture and mechanical damage and improper drying can reduce seed viability. Storage conditions are just as important. High

temperature and high humidity promote seed deterioration and decrease germination capacity. Proper drying and storage in moisture-controlled conditions can extend seed quality for longer periods of time.

Importance of Seed Testing

Seed testing is an important step for seed quality evaluation before planting. It provides information on germination percentage, purity, moisture content, vigour and disease status. Farmers could minimise the losses that would arise on growing the seeds that are not tested and could eventually avoid the problem of poor germination and weak crop establishment. Seed testing also helps seed producers maintain quality standards and assures farmers that they are receiving reliable planting material.

Seed Treatment: Improving Seed Performance

Seed treatment is an important method to improve seed quality which would protect seedlings at the early stages of growth. It involves the application of protective chemicals, biological agents or nutrients on seeds prior to sowing. Seed treatments protect seeds against seed- and soil-borne diseases. Biological seed treatment is the application of beneficial microorganisms to increase plant growth and resistance to stresses. Nutrient-based seed treatments deliver vital nutrients that boost early seedling growth. Seed coating, seed pelleting and priming are modern technologies to further improve seed performance by improving germination and protecting seeds after sowing.

Quality Seed and Sustainable Agriculture

The use of quality seed is a major factor in sustainable and production crop production. “Healthy seeds generally germinate quickly and produce vigorous plants, which reduces the need of external input. They use available nutrients and water more efficiently, increasing the resource efficiency. Quality seeds also reduce the use of pesticides by decreasing the risk of introducing seed-borne or seed-associated pathogens into the field and lowers dependence on chemical pesticides. Thus, good seed management encourages environmentally sound farming and increases the profitability of farmers. Agriculture is confronted with increasing challenges due to climate change and resource limitations and quality seed will continue to be essential for food security.

CONCLUSION: Investing in Seeds for Better Harvests

Good seed quality and seed health is the basis of successful crop establishment. Good seed will sprout quickly, produce strong seedlings, resist early stress and grow into a productive plant. Farmers can achieve improved yields and more stable production by choosing seeds that are genetically pure, physically clean, physiologically strong and disease-free. The making of a crop starts long before the seed is planted in the soil. Good seed selection, proper seed storage, seed testing and right seed treatment are the key steps in producing good crop. By focusing more on seed quality and health, farmers can increase productivity, reduce risk and move to more sustainable, profitable agriculture.

REFERENCES:

- Ceritoglu, M., Erman, M., & Çiğ, F. (2024). Seed priming boosts plant growth, yield attributes, seed chemical and antioxidant composition in lentil under low-phosphorus field conditions. *International Journal of Plant Production*, 18(4), 513-530.
- Dell’Olmo, E., Tiberini, A., & Sigillo, L. (2023). Leguminous seedborne pathogens: Seed health and sustainable crop management. *Plants*, 12(10), 2040.
- Dong, S., Peng, K., Liu, Q., Zhang, M., Luo, Y., & Li, Z. H. (2025). Dual role of KHCO_3 priming: reduces seed-borne pathogens on sorghum seeds and promotes seed germination. *BMC microbiology*, 25(1), 134.
- Ferreira, L. D. C., Carvalho, I. C. B., Jorge, L. A. D. C., Quezado-Duval, A. M., & Rossato, M. (2024). Hyperspectral imaging for the detection of plant pathogens in seeds: recent developments and challenges. *Frontiers in Plant Science*, 15, 1387925.
- Köhl, J., Butterbach, P., Ehlers, R. U., Gaildry, T., Groenenboom-de Haas, L., Groot, S. P., van der Heijden, L., Houwers, I., de Lange, E., Lopez, G., van Nieuwenhoven, A., Notten, M., & Storcken, M. (2024). Screening criteria for microbial bioprotectants for seed coating to protect seeds and seedlings from diseases. *Biological Control*, 190, 105450.
- Kumar, S., Jatav, A. L., Maurya, C. L., Dixit, R., Singh, S. P., Babu, S., & Kumar, D. (2024). Evaluating the Effect of Seed Priming Treatments on Yield and Quality of Wheat Seed (*Triticum aestivum* L.) under Rainfed Conditions. *Journal of Experimental Agriculture International*, 46(10), 73-80.

- Moumni, M., Brodal, G., & Romanazzi, G. (2023). Recent innovative seed treatment methods in the management of seedborne pathogens: Moumni et al. *Food Security*, 15(5), 1365-1382.
- Tiwari, T. N., & Katiyar, P. K. (2024). Seed Osmo-priming in chickpea enhances seed quality and crop performance under normal and water deficit conditions. *Legume Research*, 47(5), 779-786.